



Free NADH homeostasis in mitochondria (poster)

Kasimova, Marina R.

Publication date:
2005

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Kasimova, M. R. (2005). *Free NADH homeostasis in mitochondria (poster)*. Poster session presented at 2005 Annual Meeting of the Danish Optical Society, Roskilde, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Free NADH homeostasis in mitochondria

Marina Kasimova

Risø National Laboratory, Denmark

Using fluorescence spectroscopy combined with spectral decomposition analysis we determine the NADH content of actively respiring mitochondria. The reduced coenzyme NADH has a central role in mitochondrial respiratory metabolism. However, reports on the amount of free NADH in mitochondria are sparse and contradictory. While the amount of bound NADH varies, the concentration of free NADH stays relatively unaffected by respiratory state. This suggests that there is a specific mechanism for free NADH homeostasis and that free NADH per se does not play a regulatory role in mitochondrial metabolism. These findings have far-reaching consequences for our interpretation of cellular metabolism.